





-  1. Derece
-  2. Derece
-  3. Derece
-  4. Derece

- Nokta numaralandırma, 10 000 > 1. derece, 5000-10 000 2. derece

101-125 1	126-150 2	201-225 1	226-250 2	101-500 arası 3. derece 25000 esas
501-600 176-200 4	A 601-700 151-175 3	901-1000 276-300 4	B 1001-1100 251-275 3	501-2100 arası 4. derece
801-900 401-425 1	701-800 426-450 2	1201-1300 301-325 1	1101-1200 326-350 2	
1701-1800 476-500 4	D 1801-1900 451-475 3	1301-1400 376-400 4	C 1401-1500 351-375 3	
2001-2100	1901-2000	1601-1700	1501-1600	


Fotogrametri aplikasyon noktalar, A1 için 3001-3250 , A2 için 3251-3500 3001-7000 aras,,

- $50 \text{ km}^2 < \text{Düzlem}$, $50-5000 \text{ km}^2 = \text{Küre}$, $5000 \text{ km}^2 > \text{Elipsoid}$
- - Fonksiyonel model (Formül) } ikisi beraber matematik modeldir.
- - Stokastik model (A, r, k) } en küçük kareler yöntemi.
- Memleket koordinatlar, ED-50 Datumda Hayford elipsoidi kullanılm, t.r.

•

1/1 000 000
1/ 500 000
1/ 250 000
1/ 100 000
50 000

$\bar{4}^\circ$	*	$\bar{6}^\circ$
2°	*	3°
1°	*	$1,5^\circ$
$30'$	*	$30'$
$15'$	*	$15'$



1/25 000 $7,5' * 7,5'$

1/10 000	$3' * 3'$
1/ 5 000	$1,5' * 1,5'$
1/ 2 000	$45'' * 45''$
1/ 1 000	$22'', 30 * 22'', 30$